

Magnetic Trap on discharge valve; load cell mounted

Serial Number: M01001, 1999

This Kelly Duplex Vertical Mixer, load cell mounted and used for plastics compounding, features a 5 HP drive turning the internal 12" diameter helicoid mixing spiral at 135 RPM. Various ingredients to be blended are introduced into the top of the mixer, rapidly mixed internally in the mixing vessel, then drawn out of the mixer at the bottom of the cone through a magnetic trap. The view below shows the standard Operator's Manual Case, the Padlockable Protective Interlocking Electric Control Switch, the instruction and hazard warning decals, and the 5 HP drive. This mixer is 54" in diameter and has a nominal gross vessel capacity of 68 cubic feet.





Magnetic Trap on discharge valve; load cell mounted

Serial Number: M01001, 1999



The 5 HP shaft mounted gear reducer and v-belt drive is mounted on top of the vertical mixer. This durable, compact, and easily serviced drive takes both the end thrust and radial load of the mixer spiral.

THE DUPLEX MILL & MANUFACTURING CO.

415 SIGLER ST., P.O. BOX 1266, SPRINGFIELD, OH 45501-1266 USA

Email: sales@dmmc.com Home Page: http://www.dmmc.com



FAX: 937/325-0859 FAX: 937/325-2229

IMPORTANT: All illustrations and specifications are subject to change without notice and any drawing dimensions may not be to scale. Machines shown with protective covers, guards, grates, maintenance panels or interlocking limit switches removed are for illustrative purposes only. All protective devices must be in place before power is connected to machine and before operation. All sales are subject to our prevailing terms and General Conditions of Sale. See DMMC #1281-9.

SAFETY IS EVERYONE'S BUSINESS: Safe operations are profitable operations. Write or phone today for your free copy of our publication #369: KELLY DUPLEX PROCESSING MACHINERY HAZARD WARNINGS.


The Duplex Mill & Mfg. Co., 1998

Page 2 of 5



Magnetic Trap on discharge valve; load cell mounted

Serial Number: M01001, 1999



These views illustrate the clamped and hinged maintenance panel at the bottom of the downtube. interlocked with a time delay protective interlocking limit switch. Also shown, in both operational and service mode, is the magnetic trap installed at the mixer discharge point.



THE DUPLEX MILL & MANUFACTURING CO. 415 SIGLER ST., P.O. BOX 1266, SPRINGFIELD, OI

Email: sales@dmmc.com Home Page: http://www.dmmc.com

DANGER A

WE VERY

AND THE STATE OF STATE

AND THE STATE

AN

IMPORTANT: All illustrations and specifications are subject to change without notice and any drawing dimensions may not be to scale. Machines shown with protective covers, guards, grates, maintenance panels or interlocking limit switches removed are for illustrative purposes only. All protective devices must be in place before power is connected to machine and before operation. All sales are subject to our prevailing terms and General Conditions of Sale. See DMMC #1281-9.

SAFETY IS EVERYONE'S BUSINESS: Safe operations are profitable operations. Write or phone today for your free copy of our publication #369: KELLY DUPLEX PROCESSING MACHINERY HAZARD WARNINGS.

The Duplex Mill & Mfg. Co., 1998

Page 3 of 5



Magnetic Trap on discharge valve; load cell mounted

Serial Number: M01001, 1999



Standard mixer equipment includes an Operator's Manual Case, a Padlockable Interlocking Electrical Control Switch and hazard warning and instructional decals. These items are illustrated above.

THE DUPLEX MII

415 SIGLER ST., P.O. BOX 1266, SPRINGFIELD, OH 45501-1266 USA

Email: sales@dmmc.com Home Page: http://www.dmmc.com

TEL: 937/325-555 FAX: 937/325-0859 FAX: 937/325-2229

IMPORTANT: All illustrations and specifications are subject to change without notice and any drawing dimensions may not be to scale. Machines shown with protective covers, guards, grates, maintenance panels or interlocking limit switches removed are for illustrative purposes only. All protective devices must be in place before power is connected to machine and before operation. All sales are subject to our prevailing terms and General Conditions of Sale. See DMMC #1281-9.

SAFETY IS EVERYONE'S BUSINESS: Safe operations are profitable operations. Write or phone today for your free copy of our publication #369: KELLY DUPLEX PROCESSING MACHINERY HAZARD WARNINGS.

The Duplex Mill & Mfg. Co., 1998

Page 4 of 5



Magnetic Trap on discharge valve; load cell mounted **Serial Number: M01001, 1999**